

Thaw and Culture Details

Cell Line Name	PENN042i-258-12						
WiCell Lot Number	DB34949						
Provider	University of Pennsylvania – Dr. Daniel Rader						
Banked By	Penn Institute for Regenerative Medicine iPS Core Facility						
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 1 well of a 6 well plate. WiCell recommends thawing using ROCK Inhibitor for best results.						
Culture Platform	Feeder Dependent						
	Medium: hESC Medium (KOSR)						
	Matrix: MEF						
Protocol	WiCell Feeder Dependent Protocol						
Passage Number	p12 These cells were cultured for 12 passages prior to freeze and post colony picking. Therefore, plated cells at thaw should be labeled passage 13.						
Date Vialed	20-May-2015						
Vial Label	iPS-258 Sev12 P12 05-20-15 JS						
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.						

Testing Performed by WiCell

Test Description	Test Provider	Test Method	Test Specification	Result
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	≥ 15 Undifferentiated Colonies, ≤ 30% Differentiation and recoverable attachment after passage	Pass
Identity by STR	UW Translational Research Initiatives in Pathology Laboratory	PowerPlex 16 HS System by Promega	Defines profile	Pass
Sterility	Biotest Laboratories	ST/07	Negative	Pass
Mycoplasma	WiCell	SOP-QU-004	Negative	Pass
Karyotype by G-banding	WiCell	SOP-CH-003	Report karyotype	Pass



Testing Reported by Provider

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- SNP microarray
- Flow Cytometry (Tra1-60 and SSEA-4)
- Differentiation into hepatocytes
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGAEX)

Please note: Prior to shipment of these cells, WiCell will perform the following characterization assays: post-thaw viable recovery, identity by STR, sterility, mycoplasma, and karyotype.

Approval Date	Quality Assurance Approval		
23-June-2016	RK Quality Assurance Signed by Kremers, firik		



Short Tandem Repeat Analysis

WiCell® info@wicell.org (888) 204-1782

Department of Pathology and Laboratory Medicine TRIP Laboratory (Molecular) http://www.pathology.wisc.edu/research/trip

Sample Report: 12071-STR

Sample Name on Tube: 12071-STR

 $53.4 \text{ ng/}\mu\text{L}$, (A260/280=1.78)

Sample Type: Cells

Cell Count: ~2 million cells

Requestor:

WiCell Research Institute Quality Department Sample Date: N/A Receive Date: 01/09/17 Assay Date: 01/11/17

File Name: STR 170112 wmr

Report Date: 01/17/17

STR Locus	STR Genotype Repeat #	Identifying				
FGA	16–18,18.2,19,19.2,20,20.2,21,21.2,22, 22.2, 23, 23.2, 24, 24.2, 25, 25.2, 26–30, 31.2, 43.2, 44.2,45.2, 46.2	information has been redacted to				
TPOX	6-13	protect donor				
D8S1179	7-18	confidentiality. If				
vWA	10-22	more information is required,				
Amelogenin	X,Y	please, contact				
Penta_D	2.2, 3.2, 5, 7-17	WiCell's Technical				
CSF1PO	6-15	Support.				
D16S539	5, 8-15	-				
D7S820	6-14	-				
D13S317	7-15	-				
D5S818	7-16	-				
Penta_E	5-24					
D18S51	8-10, 10.2, 11-13, 13.2, 14-27					
D21S11	24,24.2,25,25.2,26-28,28.2,29,29.2, 30, 30.2,31, 31.2,32,32.2,33,33.2, 34,34.2,35,35.2,36-38					
TH01	4-9,9.3,10-11,13.3					
D3S1358	12-20					

<u>Results:</u> Based on the 12071-STR cells submitted by WiCell QA dated and received on 01/09/17, this sample (Label on Tube: 12071-STR) defines the STR profile of the human stem cell line PENN042i-258-12 comprising 25 allelic polymorphisms across the 15 STR loci analyzed.

<u>Interpretation:</u> No STR polymorphisms other than those corresponding to the human PENN042i-258-12 stem cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. This result suggests that the 12071-STR sample submitted corresponds to the PENN042i-258-12 stem cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells.

<u>Sensitivity:</u> Sensitivity limits for detection of STR polymorphisms unique to either this or other human stem cell lines is ~2-5%.

X RMB	Digitally Signed on	01/17/17	X WMR	Digitally Signed on	01/17/17
TRIP La	boratory, Molecular	_	UWHC Molec	, PhD, Director / Co-Direc cular Diagnostics Laboratory / UN	

Sterility Report

Biotest Laboratories, Inc.

Making life-saving products possible

WiCell Research Institute, Inc.

BIOTEST SAMPLE #

17010571

WiCell Quality Assurance

504 South Rosa Road, Room 101

VALIDATION #

NG

Madison, WI 53719

TEST PURPOSE

NG

PRODUCT

MIN15i-33363.D-WB53917 12106, PENN042i-258-12-DB34949 12107, PENN124i-28-3-DB34980 12108, PENN010i-486-2-DB34783 12109, PENN011i-719-2-DB34753 12110, PENN090i-111-4-DB34793 12111, WISCi004-A-1-DB46582 12112, WISCi004-A-2-DB46585 12113, WISCi004-A-3-DB46588 12114, WISCi004-A-4-DB46591 12115

PRODUCT LOT

STERILE LOT

NA

NA

BLLOT

NA

STERILIZATION LOT

NA

BI EXPIRATION DATE NA

2017-01-10

STERILIZATION DATE

NA

DATE RECEIVED **TEST INITIATED**

2017-01-16

STERILIZATION METHOD NA SAMPLING BLDG / ROOM NA

TEST COMPLETED

2017-01-30

REFERENCE

Processed according to LAB-003: Sterility Test Procedure

Ten (10) products were each divided between 40 mL TSB and 40 mL FTG. The samples were then cultured at 20-25 C and 30-35 C respectively and were monitored for a

minimum of 14 days.

⊠ USP

BI Manufacturers Specifications

☐ Other

RESULTS Sterile # POSITIVES 0

TESTED 10

POSITIVE CONTROL

NA

NEGATIVE CONTROL

2 Negatives

COMMENTS

REVIEWED BY

DATE 02 FEBIT

Specific test results may not be indicative of the characteristics of any other samples from the same lot or similar lots. Liability is limited to the costs of the tests. The uncertainty of measurement associated with the measurement result reported in this certificate is available from the organization upon request.




Mycoplasma Detection Assay Report Testing Performed by WiCell

Testing Performed by WiCell Lot Release Test 12-21-2016

FORM SOP-QU-004.01 Version F Edition 02 Reported by: OG Reviewed by: JB BD Monolight 180

		Reading A A Reading I		ling B	В	Ratio				
#	Sample Name	RLU1	RLU2	Ave	RLU1	RLU2	Ave	B/A	Result	Comments/Suggestions
1	PENN042i-258-12-DB34949 12071	300	312	306	120	118	119	0.39	Negative	
2	Positive (+) Control	293	304	298.5	23598	23901	23750	79.56	Positive	
3	Negative (-) Control	394	403	398.5	51	47	49	0.12	Negative	





Chromosome Analysis Report: 056245

Date Reported: Wednesday, January 11,

2017


Cell Line: PENN042i-258-12-DB34949 12071

Passage#: 15

Date of Sample: 1/4/2017

Specimen: iPSC Results: 46,XY

Nonclonal finding: 47,XY,+20



Cell Line Gender: Male

Reason for Testing: lot release testing

Investigator: , WiCell CDM

Cell: 24 Slide: 1

Slide Type: Karyotype

Total Counted: 40
Total Analyzed: 8


Total Karyogrammed: 4
Band Resolution: 450 - 475

Interpretation:

This is a normal karyotype. No clonal abnormalities were detected at the stated band level of resolution.

There is one nonclonal finding, listed above. Standard analysis requires that chromosomes are counted in twenty cells. Twenty additional cells were examined with no further evidence of this nonclonal aberration. Nonclonal findings likely result from technical artifact, but may be due to a developing clonal abnormality or to low-level mosaicism.

Completed By: Reviewed and Interpreted By:



A signed copy of this report is available upon request.

Date:	Sent By:	Sent To:	QC Review By:
	-		-

Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e.,mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".

This assay was conducted solely for listed investigator/institution. The results may not be relied upon by any other party without the prior written consent of the Director of the WiCell Cytogenetics Laboratory. The results of this assay are for research use only. If the results of this assay are to be used for any other purpose, contact the Director of the WiCell Cytogenetics Laboratory.

Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.